


画地略図

街区番号

25

$\frac{1}{2}$

備考



記入者



点検者



座標法面積計算 (DESCRIPTION OF APPLICATION)

(6-25 ~~→~~ BLOCK) 1

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交 I	-149733.390 ✓	2.416	-37521.511 ✓	129.628	-90651.970576	-19409639.878920
交 II	-149738.863 ✓	-11.387	-37392.477 ✓	128.694	425788.135599	-19270493.234922
B.C	-149744.777 ✓	-32.799	-37392.817 ✓	-4.863	1226447.004783	728208.850551
E.C	-149771.662 ✓	-30.807	-37397.340 ✓	-5.634	1152099.853380	843813.543708
交 III	-149775.584 ✓	30.383	-37398.451 ✓	-124.765	-1136277.136733	18686750.737760
交 IV	-149741.279 ✓	42.194	-37522.105 ✓	-123.060	-1583207.698370	18427161.793740
					-5801.811917	5801.811917
					-2900.905958	2900.905958
					弓形面積 +	<u>13.593163</u>
						2914.499121 ✓

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 (

6-25-1 BLOCK)

2

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I	-149733.390 ✓	1.910	-37521.511 ✓	2.148	-71666.086010	-321627.321720
1	-149733.475 ✓	-1.995	-37519.513 ✓	-.150	74851.428435	22460.021250
14	-149735.385 ✓	.085	-37521.661 ✓	-1.998	-3189.341185	299171.299230
					-3.998760	3.998760
					-1.999380	1.999380

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切

(6-25-1 BLOCK)

3

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
4	-149738.779	1.997	-37394.475	.115	-74676.766575	-17219.959585
交, Ⅱ	-149738.863	-2.081	-37392.477	1.883	77813.744637	-281958.279029
5	-149740.860	.084	-37392.592	-1.998	-3140.977728	299182.238280
					-3.999666	3.999666
					-1.999833	1.999833

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切

(6-25-1 BLOCK)

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149773.660 ✓	-.535	-37397.906 ✓	1.927	20007.879710	-288613.842820
交, Ⅲ	-149775.584 ✓	-1.389	-37398.451 ✓	-2.472	51946.448439	370245.243648
8	-149775.049 ✓	1.924	-37400.378 ✓	.545	-71958.327272	-81627.401705
					-3.999123	3.999123
					-1.999561	1.999561

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 (6-25-1 BLOCK) 5

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
12	-149741.814✓	-1.994	-37520.177✓	-.150	74815.232938	22461.272100
交, Ⅳ	-149741.279✓	2.529	-37522.105✓	-1.778	-94893.403545	266239.994062
13	-149739.285✓	-.535	-37521.955✓	1.928	20074.245925	-288697.341480
					-3.924682	3.924682
					-1.962341	1.962341

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 図 210-7 (210-1A) (6-25-1 BLOCK) 6

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
1	-149733.475 ✓	.212	-37519.513 ✓	42.192	-7954.136756	-6317554.777200
2	-149735.173 ✓	-19.475	-37479.469 ✓	39.477	729912.658775	-5911095.424521
11	-149752.950 ✓	-6.641	-37480.036 ✓	-40.708	248904.919076	6096143.088600
12	-149741.814 ✓	13.665	-37520.177 ✓	-41.919	-512713.218705	6277027.101066
13	-149739.285 ✓	6.429	-37521.955 ✓	-1.484	-241228.648695	222213.098940
14	-149735.385 ✓	5.810	-37521.661 ✓	2.442	-218000.850410	-365653.810170
					-1079.276715	1079.276715
					-539.638357	539.638357

分筆後の座標なし

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 内田43-2A (BLOCK) 6-25 / 7

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
2	-149735.173	15.271	-37479.469	59.638	-572348.971099	-8929906.247374
3	-149737.679	-14.603	-37420.398	58.631	546450.071994	-8779269.857449
15	-149749.776	-30.231	-37420.838	-5.715	1131269.353578	855819.969840
10	-149767.910	-3.174	-37426.113	-59.198	118790.482662	8865960.736180
11	-149752.950	32.737	-37480.036	-53.356	-1226983.938532	7990218.400200
					-2823.001397	2823.001397
					-1411.500698	1411.500698

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

図 213B / (6-25-1 BLOCK) 9

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
6	-149768.546 ✓	-6.829	-37396.501 ✓	12.914	255380.705329	-1934111.003044
E.C	-149771.662 ✓	-5.114	-37397.340 ✓	-1.405	191249.996760	210429.185110
7	-149773.660 ✓	-3.387	-37397.906 ✓	-3.038	126666.707622	455012.379080
8	-149775.049 ✓	1.852	-37400.378 ✓	-14.154	-69265.500056	2119916.043546
9	-149771.808 ✓	10.216	-37412.060 ✓	-9.876	-382201.604960	1479146.375808
16	-149764.833 ✓	3.262	-37410.254 ✓	15.559	-122032.248548	-2330191.036647
					-201.943853	201.943853
					-100.971926	100.971926
					弓形面積	+ 0.069676 ✓
						<u>101.041602 ✓</u>

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

田 214-2 (

6-25-1 BLOCK)

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
3	-149737.679 ✓	10.997	-37420.398 ✓	26.363	-411512.116806	-3947534.431477
4	-149738.779 ✓	-3.181	-37394.475 ✓	27.806	118951.824975	-4163636.488874
5	-149740.860 ✓	-5.998	-37392.592 ✓	1.658	224280.766816	-248270.345880
B.C	-149744.777 ✓	-27.686	-37392.817 ✓	-3.909	1035257.531462	585352.333293
6	-149768.546 ✓	-20.056	-37396.501 ✓	-17.437	750024.224056	2611514.136602
16	-149764.833 ✓	-3.262	-37410.254 ✓	-15.559	122032.248548	2330191.036647
9	-149771.808 ✓	-3.077	-37412.060 ✓	-15.859	115116.908620	2375231.103072
10	-149767.910 ✓	22.032	-37426.113 ✓	-8.778	-824572.121616	1314662.713980
15	-149749.776 ✓	30.231	-37420.838 ✓	5.715	-1131269.353578	-855819.969840
					-1690.087523	1690.087523
					-845.043761	845.043761
					弓形面積	+ 9.350666
						854.394427

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION)

(6-25 - 2 BLOCK)11

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, I	-149745.344 ✓	-13.673	-37522.411 ✓	124.206	513043.925603	-18599270.196864
交, II	-149779.377 ✓	-52.938	-37399.739 ✓	115.908	1979867.383182	-17360628.029316
交, III	-149798.282 ✓	13.673	-37406.503 ✓	-124.206	-511459.115519	18605845.414092
交, IV	-149765.704 ✓	52.938	-37523.945 ✓	-115.908	-1986442.600410	17359043.219232
					-4990.407144	4990.407144
					-2495.203572	2495.203572

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 ✓

(

6-25-2

BLOCK)

12

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
交, 工	-149745.344 ✓	1.459	-37522.411 ✓	2.077	-54745.197649	-311021.079488
1	-149745.879 ✓	-1.994	-37520.484 ✓	-.150	74815.845096	22461.881850
18	-149747.338 ✓	.535	-37522.561 ✓	-1.927	-20074.570135	288563.120326
					-3.922688	3.922688
					-1.961344	1.961344

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 ✓

(6-25-2 BLOCK) 13

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
7	-149778.842 ✓	1.883	-37401.667 ✓	.674	-70427.338961	-100950.939508
交. Ⅰ	-149779.377 ✓	-2.418	-37399.739 ✓	1.254	90432.568902	-187823.338758
8	-149781.260 ✓	.535	-37400.413 ✓	-1.928	-20009.220955	288778.269280
					-3.991014	3.991014
					-1.995507	1.995507

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切 (6-25-Z BLOCK) 14

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
9	-149790.750 ✓	-2.138	-37403.808 ✓	7.709	79969.341504	-1154736.891750
交, 並	-149798.282 ✓	-5.394	-37406.503 ✓	-10.404	201770.677182	1558501.325928
10	-149796.144 ✓	7.532	-37414.212 ✓	2.695	-281803.844784	-403700.608080
					-63.826098	63.826098
					-31.913049	31.913049

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION)

隅切

(6-25-2 BLOCK) 15

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
15	-149766.506	-2.992	-37521.054	-.225	112262.993568	33697.463850
交, Ⅳ	-149765.704	3.794	-37523.945	-2.666	-142365.847330	399275.366864
16	-149762.712	-.802	-37523.720	2.891	30094.023440	-432964.000392
					-8.830322	8.830322
					-4.415161	4.415161

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 岡 197-9 (6-25-2 BLOCK) 16

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
14	-149767.856✓	-6.948	-37516.186✓	-7.090	260662.460328	1061854.099040
15	-149766.506✓	5.144	-37521.054✓	-7.534	-193008.301776	1128340.856204
16	-149762.712✓	9.423	-37523.720✓	-2.241	-353586.013560	335618.237592
17	-149757.083✓	3.154	-37523.295✓	9.756	-118348.472430	-1461030.101748
21	-149759.558✓	-10.773	-37513.964✓	7.109	404137.934172	-1064640.697822
					-142.393266	142.393266
					-71.196633	71.196633

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 図 191-8 (6-25-2 BLOCK) 17

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
13	-149768.999 ✓	-7.175	-37512.067 ✓	-6.456	269149.080725	966908.657544
14	-149767.856 ✓	9.441	-37516.186 ✓	-1.897	-354190.312026	284109.622832
21	-149759.558 ✓	7.175	-37513.964 ✓	6.456	-269162.691700	-966847.706448
22	-149760.681 ✓	-9.441	-37509.730 ✓	1.897	354129.360930	-284096.011857
					-74.562071	74.562071
					-37.281035	37.281035

岡山調査測量株式会社

座標法面積計算 (DESCRIPTION OF APPLICATION) 岡 177

(6-25-2 BLOCK) 18

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
1.	-149745.879 ✓	-1.578	-37520.484 ✓	13.027	59207.323752	-1950739.565733
2.	-149748.916 ✓	-13.023	-37509.534 ✓	8.180	488486.661282	-1224946.132880
19.	-149758.902 ✓	-11.590	-37512.304 ✓	3.012	434767.603360	-451073.812824
20.	-149760.506 ✓	8.382	-37506.522 ✓	8.551	-314379.667404	-1280602.086806
3.	-149750.520 ✓	2.309	-37503.753 ✓	30.439	-86596.165677	-4558256.078280
4.	-149758.197 ✓	-12.898	-37476.083 ✓	26.093	483366.518534	-3907640.634321
23.	-149763.418 ✓	-9.402	-37477.660 ✓	13.490	352364.959320	-2020308.508820
24.	-149767.599 ✓	-18.176	-37462.593 ✓	10.998	680920.090368	-1647144.053802
12.	-149781.594 ✓	-1.400	-37466.662 ✓	-49.474	52453.326800	7410294.581556
13.	-149768.999 ✓	20.913	-37512.067 ✓	-43.068	-784489.857171	6450251.248932
22.	-149760.681 ✓	11.916	-37509.730 ✓	-11.228	-446965.942680	1681512.926268
17.	-149757.083 ✓	13.343	-37523.295 ✓	-12.831	-500673.325185	1921533.131973
18.	-149747.338 ✓	11.204	-37522.561 ✓	2.811	-420402.773444	-420939.767118
					-1941.248145	1941.248145
					-970.624072	970.624072

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 図 210-1B (6-25-2 BLOCK) 19

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
2	-149748.916 ✓	8.382	-37509.534 ✓	8.551	-314404.913988	-1280502.980716
3	-149750.520 ✓	-11.590	-37503.753 ✓	3.012	434668.497270	-451048.566240
20	-149760.506 ✓	-8.382	-37506.522 ✓	-8.551	314379.667404	1280602.086806
19	-149758.902 ✓	11.590	-37512.304 ✓	-3.012	-434767.603360	451073.812824
					-124.352674	124.352674
					-62.176337	62.176337

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 図 195-10 B (6-25-2 BLOCK) 20

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
4 .	-149758.197 ✓	1.056	-37476.083 ✓	16.590	-39574.743648	-2484488.488230
5 .	-149762.362 ✓	-9.402	-37461.070 ✓	13.490	352208.980140	-2020294.263380
24 .	-149767.599 ✓	-1.056	-37462.593 ✓	-16.590	39560.498208	2484644.467410
23 .	-149763.418 ✓	9.402	-37477.660 ✓	-13.490	-352364.959320	2020308.508820
					-170.224620	170.224620
					-85.112310	85.112310

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 図 212 (6-25-2 BLOCK) 21

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) × (3)	(1) × (4)
5	-149762.362✓	8.166	-37461.070✓	45.481	-305907.097620	-6811341.986122
6	-149773.428✓	-30.378	-37421.181✓	34.589	1136780.636418	-5180513.101092
11	-149792.740✓	-8.166	-37426.481✓	-45.481	305624.643846	6812723.607940
12	-149781.594✓	30.378	-37466.662✓	-34.589	-1138162.258236	5180795.554866
					-1664.075592	1664.075592
					-832.037796	832.037796

岡山調査測量株式会社



座標法面積計算 (DESCRIPTION OF APPLICATION) 図 213 A (6-25-2 BLOCK) 22

測点 STA.NO	X (1)	Δx (2)	Y (3)	Δy (4)	(2) \times (3)	(1) \times (4)
6	-149773.428✓	13.898	-37421.181✓	24.814	-520079.573538	-3716477.842392
7	-149778.842✓	-7.832	-37401.667✓	20.768	292929.855944	-3110606.990656
8	-149781.260✓	-11.908	-37400.413✓	-2.141	445364.118004	320681.677660
9	-149790.750✓	-14.884	-37403.808✓	-13.799	556718.278272	2066962.559250
10	-149796.144✓	-1.990	-37414.212✓	-22.673	74454.281880	3396327.972912
11	-149792.740✓	22.716	-37426.481✓	-6.969	-850179.942396	1043905.605060
					-792.981834	792.981834
					-396.490917	396.490917 ✓

岡山調査測量株式会社

